

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220001		
Moderna Lot Number:	4007220001	Specification:	SPC-0995
Date of Manufacture:	03Apr2020	Expiry Date:	30Sep2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0249	Concentration		
Purity / Product Related Impurities	SOP-0321	Main Peak Area		
		% Pre-Main Peak		
		% Post Main Peak		
% 5' Capped	SOP-0467	Cap1		
% PolyA tailed RNA / % Tailless RNA	SOP-0291	Main Peak Area		
		Pre-Main Peak Area		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 08-Jun-2020

FDA-CBER-2022-1614-4622378
Page 1 of 3

Confidential and Proprietary

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220001		
Moderna Lot Number:	4007220001	Specification:	SPC-0995
Date of Manufacture:	03Apr2020	Expiry Date:	30Sep2020

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 2

Generated Date: 08-Jun-2020

FDA-CBER-2022-1614-4622379
Page 2 of 3

Confidential and Proprietary

Document Approvals
Approved Date: 09 Jun 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 08-Jun-2020 13:17:38 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 09-Jun-2020 11:38:35 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220002		
Moderna Lot Number:	4007220002	Specification:	SPC-0995
Date of Manufacture:	04May2020	Expiry Date:	31Oct2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0249	Concentration		
Purity / Product Related Impurities	SOP-0321	Main Peak Area		
		% Pre-Main Peak		
		% Post Main Peak		
% 5' Capped	SOP-0467	Cap1		
% PolyA tailed RNA / % Tailless RNA	SOP-0291	Main Peak Area		
		Pre-Main Peak Area		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 08-Jun-2020

FDA-CBER-2022-1614-4622381

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220002		
Moderna Lot Number:	4007220002	Specification:	SPC-0995
Date of Manufacture:	04May2020	Expiry Date:	31Oct2020

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220003		
Moderna Lot Number:	4007220003	Specification:	SPC-0995
Date of Manufacture:	20May2020	Expiry Date:	16Nov2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0249	Concentration		
Purity / Product Related Impurities	SOP-0321	Main Peak Area		
		% Pre-Main Peak		
		% Post Main Peak		
% 5' Capped	SOP-0467	Cap1		
% PolyA tailed RNA / % Tailless RNA	SOP-0291	Main Peak Area		
		Pre-Main Peak Area		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 03-Aug-2020

FDA-CBER-2022-1614-4622383

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220003		
Moderna Lot Number:	4007220003	Specification:	SPC-0995
Date of Manufacture:	20May2020	Expiry Date:	16Nov2020

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

2.0 - Corrected SOP-0291 pre-main peak acceptance criteria from $\leq 30\%$ to $< 30\%$ in alignment with the approved specification SPC-0995

Document Approvals
Approved Date: 04 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 03-Aug-2020 17:26:31 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 04-Aug-2020 21:36:00 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220004		
Moderna Lot Number:	4007220004	Specification:	SPC-0995
Date of Manufacture:	04Jun2020	Expiry Date:	01Dec2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0249	Concentration		
Purity / Product Related Impurities	SOP-0321	Main Peak Area		
		% Pre-Main Peak		
		% Post Main Peak		
% 5' Capped	SOP-0467	Cap1		
% PolyA tailed RNA / % Tailless RNA	SOP-0291	Main Peak Area		
		Pre-Main Peak Area		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 16-Jul-2020

FDA-CBER-2022-1614-4622386
Page 1 of 3

Confidential and Proprietary

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220004		
Moderna Lot Number:	4007220004	Specification:	SPC-0995
Date of Manufacture:	04Jun2020	Expiry Date:	01Dec2020

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 2

Generated Date: 16-Jul-2020

FDA-CBER-2022-1614-4622387
Page 2 of 3

Confidential and Proprietary

Document Approvals

Approved Date:

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 17-Jul-2020 12:25:29 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 18-Jul-2020 00:06:55 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220005		
Moderna Lot Number:	4007220005	Specification:	SPC-0995
Date of Manufacture:	18Jun2020	Expiry Date:	18Sep2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0249	Concentration		
Purity / Product Related Impurities	SOP-0321	Main Peak Area		
		% Pre-Main Peak		
		% Post Main Peak		
% 5' Capped	SOP-0467	Cap1		
% PolyA tailed RNA / % Tailless RNA	SOP-0291	Main Peak Area		
		Pre-Main Peak Area		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 17-Aug-2020

FDA-CBER-2022-1614-4622389

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40072
Manufacturer Name:	Moderna	Container/Closure:	(b) (4)
Manufacturer Lot:	4007220005		
Moderna Lot Number:	4007220005	Specification:	SPC-0995
Date of Manufacture:	18Jun2020	Expiry Date:	18Sep2020

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 2

Generated Date: 17-Aug-2020

FDA-CBER-2022-1614-4622390

Document Approvals
Approved Date: 18 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 17-Aug-2020 15:53:08 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 18-Aug-2020 22:10:07 GMT+0000